



महात्मा गांधी अंतरराष्ट्रीय हिंदी विश्वविद्यालय

(संसद द्वारा पारित अधिनियम 1997, क्रमांक 3 के अंतर्गत स्थापित केंद्रीय विश्वविद्यालय)
पोस्ट हिंदी विश्वविद्यालय, गांधी हिल्स, वर्धा - 442001 (महाराष्ट्र), भारत

शुद्धिपत्र

दिनांक : 22.09.2022

विश्वविद्यालय परिसर वर्धा (महाराष्ट्र) में कम्प्यूटर लैब स्थापित (कम्प्यूटर, ऑनलाइन यू.पी.एस, फर्नीचर, नेटवर्किंग, सी.सी.टी.वी, ए.सी., जनरेटर आदि) करने हेतु Supply, Installation and Commissioning of Computer Labs विषयक निविदा सूचना क्रमांक MGAHV/008-PS/2022-23/04 दिनांक 11.09.2022 प्रकाशित की गई थी। जिसके तहत निविदा जमा करने की अंतिम तिथि 03.10.2022 (अपराह्न 03:00 बजे) तक है।

उपर्युक्तानुसार निविदा के Page No. 19 के Annexure-'C-1' के Computer एवं Networking equipments के Specification में निम्नानुसार आंशिक परिवर्तन किया जाता है:

- RJ45 port configuration should be read as RJ45 port with 10/100/1000 Mbps.
- Switch configuration should be read as 24 copper port with 1G and 4 SFP port with 10G speed and L2+ feature, Poe+ support with power budget at least 740 watt. It is used to connect PoE devices.
- For networking cable category should be read as CAT 7.

दिनांक 11.09.2022 को जारी निविदा की अन्य शर्तें एवं तकनीकी विवरण पूर्ववत रहेंगी।

कादर खान
कुलसचिव

22/09/22